


Monocrystalline Photovoltaic Module »



MEPV 132 ULTRA PREMIUM

BLACK » 440 W_p



QUALITY »



IBC technology
Interdigitated
back contact



N-type cell
132 Half-Cut IBC



Connector MC4
Top quality components




Premium integration
Total black



Long durability
90% at the 30th year



+22%
Efficiency
Over 22% efficiency




*** EUROPEAN QUALITY

WARRANTIES »



20 YEARS PRODUCT WARRANTY
+5 years for Premium Partners

30 YEARS PERFORMANCE WARRANTY
Linear Warranty



CERTIFICATES »





FRAME

Black anodized aluminium

Robust and resistant to corrosion

JUNCTION BOX

Sealed, robust and wide for heat dissipation

IP68 according to IEC 60529

Diodes by-pass built-in 3

Connector MC4

Cables 1000 mm (±20%) length and 4 mm² section

FRONTAL

3,2 mm thick tempered glass with high strength and ARC

Textured, extra-clear with low iron content

Frontal load (snow) 5400 Pa | Back load (wind) 2400 Pa

SOLAR CELLS

132 (22x6) N-type cells monocrystalline silicon

WEIGHT AND DIMENSIONS

21 Kg | 1895 x 1039 x 30 mm (±1%) | Pack: 900 pcs-truck

ELECTRIC DATA »

BLACK	MEPV 440
STC: 1000 W/m², module temperature 25°C, AM 1,5	
Nominal power. Pmax	440 Wp
Max. power tolerance. Pmax	0 / +5 W
Area of the module	1,96 m ²
Module efficiency	22,37 %
Isc	12,06 A
Voc	46,30 V
Imp	11,12 A
Vmp	39,60 V
NOCT: 800 W/m², ambient temperature 20°C, AM 1,5	
Nominal power. Pmax	337,10 W
Isc	9,73 A
Voc	44,24 V
Imp	8,98 A
Vmp	37,54 V
Operating parameters. Temperature coefficients	
Maximum voltage	1500 V
Maximum series fuse rating. Ir	20 A
α Isc	0,045 % / °C
β Voc	- 0,247 % / °C
γ Pmax	- 0,290 % / °C
Temperature range	- 40°C ~ + 85 °C
NOCT	43 ± 2 °C

NOTE: Read the instruction manual of this product and follow the indications STC. Values are valid for: 1000W/m², AM 1,5 and cells temperature of 25°C. Measurement tolerance +/-3% (AAA Solar simulation -IEC 60.904-9-). All the information of this brochure may be amended without notice by Eurener. Eurener_MEPV 132_ULTRA PREMIUM_440Wp_EN_MAY2022



www.eurenergroupp.com
 contact@eurenerworld.com
 +34 960 045 515
 Calle Colón, 1-23
 46004, Valencia. Spain

Manufacturing a better world

Since 1997 our main purpose has been to supply quality and long-lasting photovoltaic modules that allow us and future generations, to continue generating clean energy to take care of our planet.